



WWW.BOOSTUP.ORG



Latest News Browse Topics Encyclopedia Health Center Videos Science Shop

Health & Medicine Mind & Brain Plants & Animals Careers Space & Time Earth & Climate Matter & Energy Computers & Math Fossils & Ruins

Source: [Max Planck Society](#)  
Posted: March 6, 2006

Yahoo: [Save to My Web](#)  
del.icio.us: [Save This Page](#)

Text: small | med | large

### Gigantic Cosmic Cataclysm In Stephan's Quintet Of Galaxies

Recent infrared observations made with NASA's Spitzer [Space Telescope](#) have revealed the presence of a huge intergalactic shock wave, or "sonic boom" in the middle of Stephan's Quintet, a group of galaxies which is now the scene of a gigantic cosmic cataclysm. This discovery, made by an international research team including scientists from the Max Planck Institute for Nuclear Physics (MPIK) in Heidelberg, provides a local view of what might have been going on in the early universe, when vast mergers and collisions between galaxies were commonplace (Astrophysical Journal, in press).

When astronomers using NASA's Spitzer Space Telescope turned their attention to a well-known group of galaxies called Stephan's Quintet, they were, quite simply, shocked at what they saw. There, sweeping through the group, lurks one of the biggest shock waves ever seen.

For decades, astronomers using optical telescopes have known that the galaxies in this group, located about 300 million light years away, have a very distorted distribution of visible light from stars, indicating that the galaxies have experienced encounters in the past, and are now engaged in further collisions. But this, as it turns out, is only part of the drama. Recently, astronomers have become able to measure what, apart from the stars, is present in Stephan's Quintet. By looking in the radio and X-rays they discovered huge quantities of gas - about 100,000 million solar masses, mainly composed of hydrogen and helium - in the space between the galaxies, more than all the gas inside the galaxies themselves.

Now, a team of scientists from Caltech, USA and from the Astrophysics Department of the Max Planck Institute for [Nuclear Physics](#) (MPIK) in Heidelberg, Germany, together with other collaborators from the USA and Australia, have turned the Spitzer Space Telescope, equipped with a super-sensitive infrared spectrograph, towards the location of the group. They discovered that one of the galaxies, called NGC7318b, which is falling towards the others at high speed, is generating a giant shock wave in front of it - larger even than the [Milky Way](#) - as it ploughs its way through the intergalactic gas. The results of this amazing discovery are to be published on March 10th in a paper in the Astrophysical Journal Letters.

The signature of the shock-wave was given by the detection of strong radiation from molecular hydrogen. When hydrogen molecules are "excited" by the mechanical [energy](#) produced in the collision and transported by shock waves, they emit a distinctive type of [radiation](#) that can be detected in the infrared, and it was this radiation that was picked up by Spitzer. "The strength of the emission and the fact that it shows the gas to be highly disturbed was a huge surprise to us, said team leader Dr. Phil Appleton. "We expected to see the spectral signature of dust



The central region of Stephan's Quintet, showing the complex web of galaxy-galaxy and galaxy-intergalactic medium interactions. The intergalactic shock wave, triggered by the 1000 km/s infall velocity of the intruder galaxy NGC7319b, is delineated by the ridge of [Hydrogen](#) emission (shown in green) which runs vertically through this image. NGC7319b is the compact blob, seen both in optical light (coded blue) and in infrared continuum (coded red) immediately to the right of this ridge. (Image: NASA/JPL-Caltech)

[Ads by Google](#) [Advertise on this site](#)

**Physics Of Plasmas**  
Abstracts from the AIP & APS Physics of Plasmas journal.  
<http://pop.aip.org/>

**Physics Articles**  
The New York Times is a valuable resource for students and faculty.  
[www.nytimes.com/college](http://www.nytimes.com/college)

**Large Telescope**  
Large Telescope in-stock. Discount prices. Up to 60% off.  
[www.Telescopes.com](http://www.Telescopes.com)

**Infrared Optical Coatings**  
Stock and custom thin film coatings UV to MIR Contact our design team  
[www.ndcinfra.com](http://www.ndcinfra.com)

**PhysicsTutor Excalibur**  
Interactive physics tutorial software for college physics help  
[www.physicstutor.us](http://www.physicstutor.us)

### Science Video News



**Venus Space Probe Enters Orbit**  
Ground controllers handling Europe's first space probe to Venus receive the first [web video](#)

Jump to:  [< prev](#) | [next >](#)  
... select topic:

**FREE IQ Test**  
Take the test now! [Click Here](#)

### Related Science News > more ...

- [NASA Finds 'Big Baby' Galaxies In Newborn Universe](#)
- [Discovery Poses Cosmic Puzzle: Can A 'Distant' Quasar Lie Within A Nearby Galaxy?](#)
- [New Clues Found In Ongoing Mystery Of Giant Galactic Blobs](#)
- [Spitzer Arrives At Scene Of Galactic Collision](#)
- [Astronomical Surprise: Massive Old Galaxies Starve To Death In The Infant Universe](#)

### Related Encyclopedia > more ...

- |  |   |
|--|---|
| • <a href="#">Quasar</a>                         | • <a href="#">Supergiant</a>                          |
| • <a href="#">Barred spiral galaxy</a>           | • <a href="#">Large-scale structure of the cosmos</a> |
| • <a href="#">Space observatory</a>              | • <a href="#">Galaxy formation and evolution</a>      |
| • <a href="#">Andromeda Galaxy</a>               | • <a href="#">Galaxy formation and evolution</a>      |
| • <a href="#">Galaxy formation and evolution</a> | • <a href="#">Spitzer space telescope</a>             |
| • <a href="#">Astrophysics</a>                   | • <a href="#">Astrophysics</a>                        |

### Related Book Reviews > more ...

- [Essential Cosmic Perspective, The \(3rd Edition\)](#)
- [The Cosmic Perspective, Third Edition](#)
- [Astronomy: A Beginner's Guide to the Universe, Fourth Edition](#)
- [An Introduction to Modern Astrophysics](#)
- [Astronomy Today \(5th Edition\)](#)

[Science News Books](#) | [Encyclopedia](#)



**NASA Finds 'Big Baby' Galaxies In Newborn Universe** (October 4, 2005)  
-- Two of NASA's Great

Observatories, the Spitzer and Hubble Space Telescopes, have teamed up to "weigh" the stars in several distant galaxies. One of these galaxies, among the most distant ever seen, ... > [full story](#)

### Search Archives

Find:   
[Gc](#) > option

Also search ScienceDaily or the web with Google:

- ScienceDaily.c
- Web

**fight global warming .com**

### In Other News

- ... [Abbas: PA denies weapon request](#) (8 minutes ago)
- [Calm reported in Somalia](#) (17 minutes ago)
- [Police check reports of shots at Capitol](#) (24 minutes ago)
- [PM stops talking to Canadian media](#) ( ago)
- [House approves ANWR drilling](#) (29 minutes ago)
- [Family killed in Timor violence](#) (49 minutes ago)

grains - but instead we saw an almost pure laboratory-like spectrum of hydrogen molecules and almost nothing else. It was quite unlike anything we had seen before in a galaxy system."

Spectrometers have the ability to break light down into its component wavelengths, where the chemical signatures of the material that produced it can be seen as spectral lines. The width of these lines allows astronomers to determine the velocity of the gas, with wider lines indicating gas at a higher velocity. The hydrogen line seen by Spitzer in Stephan's Quintet is the widest ever observed for hot hydrogen molecules, corresponding to gas motions of 870 kilometres per second, equivalent to a Mach number of 100 or more. "To better understand this situation", says Dr. Richard Tufts, a team member from MPIK, "one can think of the shock waves created by supersonic aircraft in the Earth atmosphere. There, water droplets can condense behind the shock in humid conditions, while in Stephan's Quintet hydrogen molecules could form out of a turbulent and cooling intergalactic medium. Of course, all this is happening on an enormous scale in Stephan's Quintet."

The Spitzer observations provide a new diagnostic for studying conditions in merging and colliding galaxies, which were much more prevalent in the early universe. "Observing a nearby densely populated galaxy group, immersed in a thick gas cloud, gives us a local view of what might have been going on in the early universe about 10 billion years ago, soon after the first galaxies formed, when the intergalactic medium and the galaxy density were much greater than today. In this respect these observations are a bit like stepping into a time machine", said Dr. Cristina Popescu, another team member from MPIK. The new results may indicate that some of the emission from the most luminous infrared galaxies seen in the very distant Universe may actually be created not by stars, but by vast shocks in the gas between the colliding galaxies.

Though far in the future, it is likely that in about two billion years from now, we will collide with the slightly larger neighbouring Andromeda Galaxy, creating shocks of our own.

NASA's Jet Propulsion Laboratory, Pasadena, California, manages the Spitzer Space Telescope mission for the agency's Science Mission Directorate. Science operations are conducted at the Spitzer Science Center at Caltech. JPL is a division of Caltech.

Editor's Note: The original news release can be found [here](#).

Ads by Google

Advertise on this site

Physics

Große Produktauswahl. Top-Anbieter. Jetzt suchen, vergleichen, ordern! [www.shopping.com](http://www.shopping.com)

Buying Gold Stocks

The US Dollar will Collapse! Only 1 Way to Protect Yourself. Get Gold. [goldandoil.blogspot.com](http://goldandoil.blogspot.com)

Astro Physics

Tutorials, & HW Solutions. Cram It 50,000 Physics Textbook Answers! [Physics.Cramster.com](http://Physics.Cramster.com)

Can't find it? Try searching ScienceDaily or the entire web with:

Google  Search

Web ScienceDaily.com

Description Best Search eMiniMallsGer

**APPLE iPod Nano 2 GB weiß**

MP3-Player, Flashspeicher, 2 GB, Farb-LC-Display, besonders klein und leicht

[Read More at MediaOnline](#)



**Discovery Poses Cosmic Puzzle: Can A 'Distant' Quasar Lie Within A Nearby Galaxy?** (January 20, 2005)

-- An international team of astronomers has discovered within the heart of a nearby spiral galaxy a quasar whose light spectrum indicates that it is billions of light years away. The finding poses a ... [> full story](#)



**New Clues Found In Ongoing Mystery Of Giant Galactic Blobs** (January 17, 2005)

-- Astronomers have numerous technical terms and numbering systems for describing the universe, but one type of mysterious object has yet to be classified. For now, these oddities are named for their ... [> full story](#)



**Spitzer Arrives At Scene Of Galactic Collision** (September 8, 2004)

-- NASA's Spitzer Space Telescope has set its infrared sight on a major galactic collision and witnessed not death, but a teeming nest of ... [> full story](#)



**Astronomical Surprise: Massive Old Galaxies Starve To Death In The Infant Universe** (March 21, 2005)

-- Astronomers have found distant red galaxies--very massive and very old--in the universe when it was only 2.5 billion years post Big Bang. "Previous observations suggested that the universe at this ... [> full story](#)



**Stars Evolve Rapidly, Violently In Ultra-luminous Infrared Galaxies** (February 20, 2006)

-- The Spitzer Space Telescope reveals new information about the composition of distant ultra-luminous infrared galaxies. A high proportion of crystalline silicates in the galaxies' general interstellar ... [> full story](#)



**NASA Creates Portrait Of Life And Death In The Universe** (March 10, 2004)

-- In a small galaxy lies a luminous cloud of gas and dust, called a nebula, which houses a family of newborn stars. If not for the death of a massive star millions of years ago, this stellar nursery ... [> full story](#)



**Stormy Cloud Of Star Birth Glows In New Spitzer Image** (January 23, 2004)

-- A dusty stellar nursery shines brightly in a new image from NASA's Spitzer Space Telescope, formerly known as the Space Infrared Telescope Facility. Spitzer's heat-sensing "infrared eyes" have ... [> full story](#)



**NASA's Spitzer Finds Hidden, Hungry Black Holes** (August 7, 2005)

-- Most of the biggest black holes in the universe have been eating cosmic meals behind closed doors -- until now. With its sharp infrared eyes, NASA's Spitzer Space Telescope peered through walls of ... [> full story](#)



**NASA's Spitzer Space Telescope Exposes Dusty Galactic Hideouts** (March 11, 2005)

-- How do you hide something as big and bright as a galaxy? You smother it in cosmic dust. NASA's Spitzer Space

Administration faulted on pollution policy (2 hours ago)

Hayden confirmed as CIA director (2 hours ago)

Parents sue school over time-out room (2 hours ago)

Pope celebrates mass in Warsaw rain (2 hours ago)

... more breaking news at [NewsDaily](#) -- updated every 15 minutes

Telescope saw through such dust to  
uncover a hidden population of  
monstrously bright ... > [full story](#)

**Copyright © 1995-2006 ScienceDaily LLC — All rights reserved — Contact: [editor@sciencedaily.com](mailto:editor@sciencedaily.com)  
[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute News](#) | [Advertise With Us](#) | [Privacy Policy](#) | [Terms](#)**